

# SNO 5 Plus (GB)

SMALL WATER HEATER

PRODUCT-NO.: 204979

## Make your water heater the highlight of the room

The good performance you've come to expect with a fresh new look: this small water heater for oversink installation makes a design statement in your room. Not only because this appliance features compact dimensions in a stylish casing, but also because it provides you and your family with hot water in an energy saving and efficient way.



## Prevent energy losses effectively

What contributes to the high efficiency of our small water heaters is the fact that the water is heated directly at the draw-off point. This prevents thermal losses and ultimately saves you money. Vary the temperature with the high quality haptic rotary selector. Replacing an older model is very easy, as you can use the same wall mounting bracket for this small water heater.



## SNO 10 Plus (GB)

Product-No.: 204984

## The main features

Compact and high quality small water heater for oversink installation

---

Hot water available immediately

---

Safe use due to adjustable mechanical temperature limit as anti-scalding protection

---

Very low energy losses thanks to high grade thermal insulation

---

Quick and easy replacement of older appliances thanks to universal wall mounting bracket

---

Optimised DHW heating for higher efficiency with ECO mode

---

Also available with a higher storage volume for a very frequently used draw-off point



Type	SNO 5 Plus (GB)	SNO 10 Plus (GB)
Part no.	204979	204984

## Technical data

Connected load	2 kW	2 kW
Rated output 2	2,0 kW	2,0 kW
Power supply	1/N/PE	1/N/PE
Rated voltage	230 V	230 V
Fuse protection 2	10 A	10 A
Frequency	50-60 Hz	50-60 Hz
Energy efficiency class	A	A
Standby energy consumption/24 h at 65 °C	0.07 kWh	0.27 kWh
Nominal capacity	5 l	10 l
Mixed water amount at 40 °C	9,3 l	19 l
Temperature setting range	35 - 85 °C	35 - 85 °C
Version	Small water heater	Small water heater
Type	non-pressurised	non-pressurised
Installation type	Oversink	Oversink
With tap	-	-
Colour	white	white
Cable length	0,9 m	0,9 m
Operation	manual	manual
Temperature limit	•	•
IP rating	IP24 D	IP24 D
Height	423 mm	505 mm

Width	240 mm	290 mm
Depth	212 mm	282 mm
Weight	3.00 kg	4.60 kg

## **Contact information**

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

[sales@stiebel-eltron.co.uk](mailto:sales@stiebel-eltron.co.uk)

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.